

Bunch-by-bunch feedback and diagnostics in ESRF

Demonstration of iGp12 and LNFE

D. Teytelman

Dimtel, Inc., San Jose, CA, USA

April 26, 2017




Outline

- 1 iGp12 introduction
- 2 Setup and planning
- 3 Single bunch studies
- 4 Multibunch measurements at zero chromaticity
- 5 Studies at nominal chromaticity



iGp12 Highlights



- A 500+ MHz processing channel.
- Finite Impulse Response (FIR) bunch-by-bunch filtering for feedback.
- Control and diagnostics via EPICS soft IOC on Linux.
- External triggers, fiducial synchronization, low-speed ADCs/DACs, general-purpose digital I/O.



Front/Back-end Unit



- 3 front-end channels.
- 1–1.5 GHz front-end detection frequency.
- 2-cycle comb generator.
- 1–1.5 GHz back-end frequency.
- Integrated control via iGp:
 - ▶ LO phase shifters;
 - ▶ Attenuators;
 - ▶ Temperature measurement and stabilization.



Front/Back-end Unit



- 3 front-end channels.
- 1–1.5 GHz front-end detection frequency.
- 2-cycle comb generator.
- 1–1.5 GHz back-end frequency.
- Integrated control via iGp:
 - ▶ LO phase shifters;
 - ▶ Attenuators;
 - ▶ Temperature measurement and stabilization.



Front/Back-end Unit



- 3 front-end channels.
- 1–1.5 GHz front-end detection frequency.
- 2-cycle comb generator.
- 1–1.5 GHz back-end frequency.
- Integrated control via iGp:
 - ▶ LO phase shifters;
 - ▶ Attenuators;
 - ▶ Temperature measurement and stabilization.



Front/Back-end Unit



- 3 front-end channels.
- 1–1.5 GHz front-end detection frequency.
- 2-cycle comb generator.
- 1–1.5 GHz back-end frequency.
- Integrated control via iGp:
 - ▶ LO phase shifters;
 - ▶ Attenuators;
 - ▶ Temperature measurement and stabilization.




Front/Back-end Unit



- 3 front-end channels.
- 1–1.5 GHz front-end detection frequency.
- 2-cycle comb generator.
- 1–1.5 GHz back-end frequency.
- Integrated control via iGp:
 - ▶ LO phase shifters;
 - ▶ Attenuators;
 - ▶ Temperature measurement and stabilization.



Front/Back-end Block Diagram



iGp12 Specifications


- Design goals:
 - ▶ Reliability;
 - ▶ Maintainability;
 - ▶ Ease of use;
 - ▶ Diagnostics.
- FPGA based processing:
 - ▶ Flexible;
 - ▶ Field upgradable.

Specifications

Bunch spacing	≥ 1.9 ns
Harmonic number	32–5120
ADC resolution	12 bits
DAC resolution	12 bits
ADC bandwidth	1.35 GHz
Feedback filter	32-tap FIR
Downsampling	1-256
DAQ memory	12 MS
Triggers	2




Waveform Panel



- Updates at 2 Hz
- Uses data from all bunches over many turns (12672 for ESRF).
- Four waveforms:
 - ▶ Mean;
 - ▶ RMS;
 - ▶ Bunch with largest RMS;
 - ▶ Averaged spectrum of all bunches.




Waveform Panel



- Updates at 2 Hz
- Uses data from all bunches over many turns (12672 for ESRF).
- Four waveforms:
 - ▶ Mean;
 - ▶ RMS;
 - ▶ Bunch with largest RMS;
 - ▶ Averaged spectrum of all bunches.




Waveform Panel



- Updates at 2 Hz
- Uses data from all bunches over many turns (12672 for ESRF).
- Four waveforms:
 - ▶ Mean;
 - ▶ RMS;
 - ▶ Bunch with largest RMS;
 - ▶ Averaged spectrum of all bunches.




Waveform Panel



- Updates at 2 Hz
- Uses data from all bunches over many turns (12672 for ESRF).
- Four waveforms:
 - ▶ Mean;
 - ▶ RMS;
 - ▶ Bunch with largest RMS;
 - ▶ Averaged spectrum of all bunches.




Feedback in Action



- With feedback off we see vertical oscillation (28.6 dB peak);
- When feedback is turned on, vertical motion is suppressed to the noise floor;



Feedback in Action



- With feedback off we see vertical oscillation (28.6 dB peak);
- When feedback is turned on, vertical motion is suppressed to the noise floor;



Outline

- 1 iGp12 introduction
- 2 Setup and planning**
- 3 Single bunch studies
- 4 Multibunch measurements at zero chromaticity
- 5 Studies at nominal chromaticity



Day by Day Summary

- Sunday (2017-04-23):
 - ▶ Unpacked the hardware;
 - ▶ Network and signal connections;
 - ▶ Passive monitoring with ESRF front-end;
 - ▶ Dimtel LNFE setup.
- Monday (2017-04-24):
 - ▶ Adjusted timing to the BPM hybrid to optimize common mode rejection;
 - ▶ Parasitically timed the front-end;
 - ▶ Using very low amplitude single bunch excitation timed the back-end;
 - ▶ Set up multibunch feedback;
 - ▶ Checked notch monitoring, tune tracking, single bunch transfer function.
- Tuesday (2017-04-25):
 - ▶ MDT shift from 8:00 to 19:00;
 - ▶ Covered 9 out of 10 items in the plan.



Day by Day Summary

- Sunday (2017-04-23):
 - ▶ Unpacked the hardware;
 - ▶ Network and signal connections;
 - ▶ Passive monitoring with ESRF front-end;
 - ▶ Dimtel LNFE setup.
- Monday (2017-04-24):
 - ▶ Adjusted timing to the BPM hybrid to optimize common mode rejection;
 - ▶ Parasitically timed the front-end;
 - ▶ Using very low amplitude single bunch excitation timed the back-end;
 - ▶ Set up multibunch feedback;
 - ▶ Checked notch monitoring, tune tracking, single bunch transfer function.
- Tuesday (2017-04-25):
 - ▶ MDT shift from 8:00 to 19:00;
 - ▶ Covered 9 out of 10 items in the plan.



Day by Day Summary

- Sunday (2017-04-23):
 - ▶ Unpacked the hardware;
 - ▶ Network and signal connections;
 - ▶ Passive monitoring with ESRF front-end;
 - ▶ Dimtel LNFE setup.
- Monday (2017-04-24):
 - ▶ Adjusted timing to the BPM hybrid to optimize common mode rejection;
 - ▶ Parasitically timed the front-end;
 - ▶ Using very low amplitude single bunch excitation timed the back-end;
 - ▶ Set up multibunch feedback;
 - ▶ Checked notch monitoring, tune tracking, single bunch transfer function.
- Tuesday (2017-04-25):
 - ▶ MDT shift from 8:00 to 19:00;
 - ▶ Covered 9 out of 10 items in the plan.




Setup



- Baseband processor (iGp12) and 352 MHz low noise front-end (LNFE);
- Dimtel BPMH-20-2G hybrid processes 4 button signals to generate ΔY , ΔX , and Σ ;
- Differential DAC output drives two power amplifiers directly.



Setup



- Baseband processor (iGp12) and 352 MHz low noise front-end (LNFE);
- Dimtel BPMH-20-2G hybrid processes 4 button signals to generate ΔY , ΔX , and Σ ;
- Differential DAC output drives two power amplifiers directly.



Setup



- Baseband processor (iGp12) and 352 MHz low noise front-end (LNFE);
- Dimtel BPMH-20-2G hybrid processes 4 button signals to generate ΔY , ΔX , and Σ ;
- Differential DAC output drives two power amplifiers directly.



The Plan

- ✓ Single bunch timing and calibration @ 8 mA, high chromaticity;
- ✓ Single bunch limits vs. chromaticity, gaps open and closed;
- ✓ Feedback operation: zero chromaticity, uniform fill;
 - ✓ Characterization of growth rates;
 - ✓ Bunch cleaning (zero chromaticity);
 - ✓ Parasitic tune monitoring.
- ✓ Standard 7/8 fill, high chromaticity
 - ✓ Tune monitoring tools
 - ✓ Bunch cleaning
- ✓ Injection studies;
- ✗ Operate with the current (ESRF) front end.



The Plan

- ✓ Single bunch timing and calibration @ 8 mA, high chromaticity;
- ✓ Single bunch limits vs. chromaticity, gaps open and closed;
- ✓ Feedback operation: zero chromaticity, uniform fill;
 - ✓ Characterization of growth rates;
 - ✓ Bunch cleaning (zero chromaticity);
 - ✓ Parasitic tune monitoring.
- ✓ Standard 7/8 fill, high chromaticity
 - ✓ Tune monitoring tools
 - ✓ Bunch cleaning
- ✓ Injection studies;
- ✗ Operate with the current (ESRF) front end.



The Plan

- ✓ Single bunch timing and calibration @ 8 mA, high chromaticity;
- ✓ Single bunch limits vs. chromaticity, gaps open and closed;
- ✓ Feedback operation: zero chromaticity, uniform fill;
 - ✓ Characterization of growth rates;
 - ✓ Bunch cleaning (zero chromaticity);
 - ✓ Parasitic tune monitoring.
- ✓ Standard 7/8 fill, high chromaticity
 - ✓ Tune monitoring tools
 - ✓ Bunch cleaning
- ✓ Injection studies;
- ✗ Operate with the current (ESRF) front end.



The Plan

- ✓ Single bunch timing and calibration @ 8 mA, high chromaticity;
- ✓ Single bunch limits vs. chromaticity, gaps open and closed;
- ✓ Feedback operation: zero chromaticity, uniform fill;
 - ✓ Characterization of growth rates;
 - ✓ Bunch cleaning (zero chromaticity);
 - ✓ Parasitic tune monitoring.
- ✓ Standard 7/8 fill, high chromaticity
 - ✓ Tune monitoring tools
 - ✓ Bunch cleaning
- ✓ Injection studies;
- ✗ Operate with the current (ESRF) front end.



The Plan

- ✓ Single bunch timing and calibration @ 8 mA, high chromaticity;
- ✓ Single bunch limits vs. chromaticity, gaps open and closed;
- ✓ Feedback operation: zero chromaticity, uniform fill;
 - ✓ Characterization of growth rates;
 - ✓ Bunch cleaning (zero chromaticity);
 - ✓ Parasitic tune monitoring.
- ✓ Standard 7/8 fill, high chromaticity
 - ✓ Tune monitoring tools
 - ✓ Bunch cleaning
- ✓ Injection studies;
- ✗ Operate with the current (ESRF) front end.




Outline

- 1 iGp12 introduction
- 2 Setup and planning
- 3 Single bunch studies**
- 4 Multibunch measurements at zero chromaticity
- 5 Studies at nominal chromaticity




Calibration



- Configured 9 dB of attenuation to handle apparent orbit offset;
- Calibration factor is 0.36 counts/ $\mu\text{m}/\text{mA}$;
- Centering the beam requires a $-476 \mu\text{m}$ bump;
- At this offset can support single bunch currents up to 12 mA;
- Much higher sensitivities are feasible with better pickup (β) and orbit offset trimming.




Calibration



- Configured 9 dB of attenuation to handle apparent orbit offset;
- Calibration factor is 0.36 counts/ $\mu\text{m}/\text{mA}$;
- Centering the beam requires a $-476 \mu\text{m}$ bump;
- At this offset can support single bunch currents up to 12 mA;
- Much higher sensitivities are feasible with better pickup (β) and orbit offset trimming.




Calibration



- Configured 9 dB of attenuation to handle apparent orbit offset;
- Calibration factor is 0.36 counts/ $\mu\text{m}/\text{mA}$;
- Centering the beam requires a $-476 \mu\text{m}$ bump;
- At this offset can support single bunch currents up to 12 mA;
- Much higher sensitivities are feasible with better pickup (β) and orbit offset trimming.




Calibration



- Configured 9 dB of attenuation to handle apparent orbit offset;
- Calibration factor is 0.36 counts/ $\mu\text{m}/\text{mA}$;
- Centering the beam requires a $-476 \mu\text{m}$ bump;
- At this offset can support single bunch currents up to 12 mA;
- Much higher sensitivities are feasible with better pickup (β) and orbit offset trimming.





Calibration



- Configured 9 dB of attenuation to handle apparent orbit offset;
- Calibration factor is 0.36 counts/ $\mu\text{m}/\text{mA}$;
- Centering the beam requires a $-476 \mu\text{m}$ bump;
- At this offset can support single bunch currents up to 12 mA;
- Much higher sensitivities are feasible with better pickup (β) and orbit offset trimming.





Maximum Single Bunch Current vs. Chromaticity



- A bit of feedback tuning at each point;
- Could definitely benefit from more tuning time;
- Roughly consistent with the results from the existing system;
- Modifying feedback during injection might help extend the limit.




Maximum Single Bunch Current vs. Chromaticity




- A bit of feedback tuning at each point;
- Could definitely benefit from more tuning time;
- Roughly consistent with the results from the existing system;
- Modifying feedback during injection might help extend the limit.




Maximum Single Bunch Current vs. Chromaticity




- A bit of feedback tuning at each point;
- Could definitely benefit from more tuning time;
- Roughly consistent with the results from the existing system;
- Modifying feedback during injection might help extend the limit.





Maximum Single Bunch Current vs. Chromaticity



- A bit of feedback tuning at each point;
- Could definitely benefit from more tuning time;
- Roughly consistent with the results from the existing system;
- Modifying feedback during injection might help extend the limit.





Single Bunch Grow/Damp Measurement



- Zero chromaticity, 2 mA;
- Feedback is turned off for 180 μs ;
- Growth looks linear;
- Reactive feedback setup — closed loop induces frequency shift.





Single Bunch Grow/Damp Measurement



- Zero chromaticity, 2 mA;
- Feedback is turned off for 180 μs ;
- Growth looks linear;
- Reactive feedback setup — closed loop induces frequency shift.





Single Bunch Grow/Damp Measurement



- Zero chromaticity, 2 mA;
- Feedback is turned off for 180 μs ;
- Growth looks linear;
- Reactive feedback setup — closed loop induces frequency shift.



Single Bunch Grow/Damp Measurement



- Zero chromaticity, 2 mA;
- Feedback is turned off for 180 μs ;
- Growth looks linear;
- Reactive feedback setup — closed loop induces frequency shift.




Outline

- 1 iGp12 introduction
- 2 Setup and planning
- 3 Single bunch studies
- 4 Multibunch measurements at zero chromaticity**
- 5 Studies at nominal chromaticity




Grow/damp Measurements


a) Osc. Envelopes in Time Domain




b) Evolution of Modes




c) Oscillation freqs (pre-brkpt)




d) Growth Rates (pre-brkpt)



e) Oscillation freqs (post-brkpt)



f) Growth Rates (post-brkpt)




ESRF: apr2517/123303: Io= 100.44mA, Dsamp= 1, ShiftGain= 6, Nbn= 992,
At Fs: G1= 137.054, G2= 0, Ph1= 83.6019, Ph2= 0, Brkpt= 2900, Calib= 0.36.

- **Grow/damp at 100 mA, 8 ms growth time;**
- Only resistive wall modes;
- Damping rates non-uniform — low frequency response of the amplifier?
- Fits look very clean, textbook exponential transients;
- Filled to 200 mA, not limited by instabilities;
- Growth time too long, when feedback turns on there is not enough gain to damp the motion.




Grow/damp Measurements


a) Osc. Envelopes in Time Domain




b) Evolution of Modes




c) Oscillation freqs (pre-brkpt)




d) Growth Rates (pre-brkpt)



e) Oscillation freqs (post-brkpt)



f) Growth Rates (post-brkpt)




ESRF: apr2517/123303: Io= 100.44mA, Dsamp= 1, ShiftGain= 6, Nbun= 992,
At Fs: G1= 137.054, G2= 0, Ph1= 83.6019, Ph2= 0, Brkpt= 2900, Calib= 0.36.

- Grow/damp at 100 mA, 8 ms growth time;
- Only resistive wall modes;
- Damping rates non-uniform — low frequency response of the amplifier?
- Fits look very clean, textbook exponential transients;
- Filled to 200 mA, not limited by instabilities;
- Growth time too long, when feedback turns on there is not enough gain to damp the motion.




Grow/damp Measurements


a) Osc. Envelopes in Time Domain




b) Evolution of Modes




c) Oscillation freqs (pre-brkpt)




d) Growth Rates (pre-brkpt)



e) Oscillation freqs (post-brkpt)



f) Growth Rates (post-brkpt)




ESRF:apr2517/123303: Io= 100.44mA, Dsamp= 1, ShiftGain= 6, Nbn= 992,
At Fs: G1= 137.054, G2= 0, Ph1= 83.6019, Ph2= 0, Brkpt= 2900, Calib= 0.36.

- Grow/damp at 100 mA, 8 ms growth time;
- Only resistive wall modes;
- Damping rates non-uniform — low frequency response of the amplifier?
- Fits look very clean, textbook exponential transients;
- Filled to 200 mA, not limited by instabilities;
- Growth time too long, when feedback turns on there is not enough gain to damp the motion.



Grow/damp Measurements

apr2517/123303 Data, Fit and Error for Mode #987




- Grow/damp at 100 mA, 8 ms growth time;
- Only resistive wall modes;
- Damping rates non-uniform — low frequency response of the amplifier?
- Fits look very clean, textbook exponential transients;
- Filled to 200 mA, not limited by instabilities;
- Growth time too long, when feedback turns on there is not enough gain to damp the motion.




Grow/damp Measurements


a) Osc. Envelopes in Time Domain




b) Evolution of Modes



c) Oscillation freqs (pre-brkpt)



d) Growth Rates (pre-brkpt)




ESRF: apr2517/131131: I_o= 200mA, D_{samp}= 1, ShifGain= 6, N_{bun}= 992,
At Fs: G₁= 137.054, G₂= 0, Ph₁= 83.6019, Ph₂= 0, Brkpt= 1405, Calib= 0.36.

- Grow/damp at 100 mA, 8 ms growth time;
- Only resistive wall modes;
- Damping rates non-uniform — low frequency response of the amplifier?
- Fits look very clean, textbook exponential transients;
- Filled to 200 mA, not limited by instabilities;
- Growth time too long, when feedback turns on there is not enough gain to damp the motion.




Grow/damp Measurements



- Grow/damp at 100 mA, 8 ms growth time;
- Only resistive wall modes;
- Damping rates non-uniform — low frequency response of the amplifier?
- Fits look very clean, textbook exponential transients;
- Filled to 200 mA, not limited by instabilities;
- Growth time too long, when feedback turns on there is not enough gain to damp the motion.




Spectral Notch Tune Monitoring



- In closed loop operation, feedback signals show a notch at the betatron frequency;
- Beam response is resonant at the tune frequency;
- Attenuation of detection noise by the feedback is proportional to the loop gain;
- Transfer gain from noise to the feedback input is $\frac{1}{1+L(\omega)}$
- Maximum attenuation at the resonance, thus a notch.




Spectral Notch Tune Monitoring



- In closed loop operation, feedback signals show a notch at the betatron frequency;
- Beam response is resonant at the tune frequency;
- Attenuation of detection noise by the feedback is proportional to the loop gain;
- Transfer gain from noise to the feedback input is $\frac{1}{1+L(\omega)}$
- Maximum attenuation at the resonance, thus a notch.




Spectral Notch Tune Monitoring



- In closed loop operation, feedback signals show a notch at the betatron frequency;
- Beam response is resonant at the tune frequency;
- Attenuation of detection noise by the feedback is proportional to the loop gain;
- Transfer gain from noise to the feedback input is $\frac{1}{1+L(\omega)}$
- Maximum attenuation at the resonance, thus a notch.




Spectral Notch Tune Monitoring



- In closed loop operation, feedback signals show a notch at the betatron frequency;
- Beam response is resonant at the tune frequency;
- Attenuation of detection noise by the feedback is proportional to the loop gain;
- Transfer gain from noise to the feedback input is $\frac{1}{1+L(\omega)}$
- Maximum attenuation at the resonance, thus a notch.




Spectral Notch Tune Monitoring



- In closed loop operation, feedback signals show a notch at the betatron frequency;
- Beam response is resonant at the tune frequency;
- Attenuation of detection noise by the feedback is proportional to the loop gain;
- Transfer gain from noise to the feedback input is $\frac{1}{1+L(\omega)}$
- Maximum attenuation at the resonance, thus a notch.




Tune Monitoring Example



- Tune tracking during injection from 10 to 200 mA;
- Done by the iGp12 at 2 Hz update rate:
 - ▶ Exponential averaging of 5 sweeps (2.5 s time constant);
 - ▶ Minimum search in 120–150 kHz range.
- Network port change around –4 minute mark.




Tune Monitoring Example



- Tune tracking during injection from 10 to 200 mA;
- Done by the iGp12 at 2 Hz update rate:
 - ▶ Exponential averaging of 5 sweeps (2.5 s time constant);
 - ▶ Minimum search in 120–150 kHz range.
- Network port change around -4 minute mark.




Tune Monitoring Example



- Tune tracking during injection from 10 to 200 mA;
- Done by the iGp12 at 2 Hz update rate:
 - ▶ Exponential averaging of 5 sweeps (2.5 s time constant);
 - ▶ Minimum search in 120–150 kHz range.
- Network port change around –4 minute mark.




All Mode Scan: Technique



- Performed at 15.4 mA (under the threshold of instability);
- Each mode is excited to a small amplitude under feedback control;
- In a transient measurement excitation and feedback are turned off;
- Capturing 21 ms of beam motion twice a second, 16.5 minutes to scan all modes;
- 27 GiB data set.




All Mode Scan: Technique



- Performed at 15.4 mA (under the threshold of instability);
- Each mode is excited to a small amplitude under feedback control;
- In a transient measurement excitation and feedback are turned off;
- Capturing 21 ms of beam motion twice a second, 16.5 minutes to scan all modes;
- 27 GiB data set.




All Mode Scan: Technique



- Performed at 15.4 mA (under the threshold of instability);
- Each mode is excited to a small amplitude under feedback control;
- In a transient measurement excitation and feedback are turned off;
- Capturing 21 ms of beam motion twice a second, 16.5 minutes to scan all modes;
- 27 GiB data set.




All Mode Scan: Technique



- Performed at 15.4 mA (under the threshold of instability);
- Each mode is excited to a small amplitude under feedback control;
- In a transient measurement excitation and feedback are turned off;
- Capturing 21 ms of beam motion twice a second, 16.5 minutes to scan all modes;
- 27 GiB data set.




All Mode Scan: Technique



- Performed at 15.4 mA (under the threshold of instability);
- Each mode is excited to a small amplitude under feedback control;
- In a transient measurement excitation and feedback are turned off;
- Capturing 21 ms of beam motion twice a second, 16.5 minutes to scan all modes;
- 27 GiB data set.




All Mode Scan: Results



- Automated processing extracts growth or damping rates;
- Clear resistive wall signature;
- A band of higher order modes around mode -365 ($129 + N \times 352$ MHz);
- A smaller HOM band around -298 ($105 + N \times 352$ MHz);
- Radiation damping rate 118 s^{-1} (8.5 ms damping time).




All Mode Scan: Results



- Automated processing extracts growth or damping rates;
- Clear resistive wall signature;
- A band of higher order modes around mode -365 ($129 + N \times 352$ MHz);
- A smaller HOM band around -298 ($105 + N \times 352$ MHz);
- Radiation damping rate 118 s^{-1} (8.5 ms damping time).




All Mode Scan: Results



- Automated processing extracts growth or damping rates;
- Clear resistive wall signature;
- A band of higher order modes around mode -365 ($129 + N \times 352$ MHz);
- A smaller HOM band around -298 ($105 + N \times 352$ MHz);
- Radiation damping rate 118 s^{-1} (8.5 ms damping time).




All Mode Scan: Results



- Automated processing extracts growth or damping rates;
- Clear resistive wall signature;
- A band of higher order modes around mode -365 ($129 + N \times 352$ MHz);
- A smaller HOM band around -298 ($105 + N \times 352$ MHz);
- Radiation damping rate 118 s^{-1} (8.5 ms damping time).



All Mode Scan: Results



- Automated processing extracts growth or damping rates;
- Clear resistive wall signature;
- A band of higher order modes around mode -365 ($129 + N \times 352$ MHz);
- A smaller HOM band around -298 ($105 + N \times 352$ MHz);
- Radiation damping rate 118 s^{-1} (8.5 ms damping time).




Outline

- 1 iGp12 introduction
- 2 Setup and planning
- 3 Single bunch studies
- 4 Multibunch measurements at zero chromaticity
- 5 Studies at nominal chromaticity**




Bunch Cleaning



- Started with scraper at 1.5, tested at 3.0, then 4.5;
- Cleaning works fine at 1.5 and 3.0, somewhat touchy at 4.5;
- Need a bit of parameter optimization, most likely can support reliable cleaning at scraper gap of 3.5–4.5.




Bunch Cleaning



- Started with scraper at 1.5, tested at 3.0, then 4.5;
- Cleaning works fine at 1.5 and 3.0, somewhat touchy at 4.5;
- Need a bit of parameter optimization, most likely can support reliable cleaning at scraper gap of 3.5–4.5.





Bunch Cleaning



- Started with scraper at 1.5, tested at 3.0, then 4.5;
- Cleaning works fine at 1.5 and 3.0, somewhat touchy at 4.5;
- Need a bit of parameter optimization, most likely can support reliable cleaning at scraper gap of 3.5–4.5.





Single Bunch Transfer Function



- Turn off feedback for bunch 40;
- Apply swept sinusoidal excitation;
- Measure beam transfer function;
- A simple-minded fit of a resonant response;
- Fit a linear combination of 3 resonances;
- 5 resonances;
- 7 resonances;
- 9 resonances;
- 11 resonances.





Single Bunch Transfer Function



- Turn off feedback for bunch 40;
- Apply swept sinusoidal excitation;
- Measure beam transfer function;
- A simple-minded fit of a resonant response;
- Fit a linear combination of 3 resonances;
- 5 resonances;
- 7 resonances;
- 9 resonances;
- 11 resonances.





Single Bunch Transfer Function



- Turn off feedback for bunch 40;
- Apply swept sinusoidal excitation;
- Measure beam transfer function;
- A simple-minded fit of a resonant response;
- Fit a linear combination of 3 resonances;
- 5 resonances;
- 7 resonances;
- 9 resonances;
- 11 resonances.





Single Bunch Transfer Function



- Turn off feedback for bunch 40;
- Apply swept sinusoidal excitation;
- Measure beam transfer function;
- A simple-minded fit of a resonant response;
- Fit a linear combination of 3 resonances;
- 5 resonances;
- 7 resonances;
- 9 resonances;
- 11 resonances.





Single Bunch Transfer Function



- Turn off feedback for bunch 40;
- Apply swept sinusoidal excitation;
- Measure beam transfer function;
- A simple-minded fit of a resonant response;
- Fit a linear combination of 3 resonances;
- 5 resonances;
- 7 resonances;
- 9 resonances;
- 11 resonances.





Single Bunch Transfer Function



- Turn off feedback for bunch 40;
- Apply swept sinusoidal excitation;
- Measure beam transfer function;
- A simple-minded fit of a resonant response;
- Fit a linear combination of 3 resonances;
- 5 resonances;
- 7 resonances;
- 9 resonances;
- 11 resonances.




Single Bunch Transfer Function



- Turn off feedback for bunch 40;
- Apply swept sinusoidal excitation;
- Measure beam transfer function;
- A simple-minded fit of a resonant response;
- Fit a linear combination of 3 resonances;
- 5 resonances;
- 7 resonances;
- 9 resonances;
- 11 resonances.




Single Bunch Phase Tracking



- A single bunch is excited with a sinusoidal excitation at low amplitude (20–40 μm);
- Response is detected relative to the excitation to determine the phase shift
- In closed loop, phase tracker adjusts the excitation frequency to maintain the correct phase shift value;
- Adjustable integration time, tracking range, loop gain.




Phase Tracking and Chromaticity Measurement



- Close the loop at -45 s;
- Slow settling at low gain, faster as the gain is raised;
- Chromaticity scan with 10 Hz steps;
- Return step of 40 Hz is too large, tracker locks at the wrong point;
- Open and close the loop to re-lock.




Phase Tracking and Chromaticity Measurement



- Close the loop at -45 s;
- Slow settling at low gain, faster as the gain is raised;
- Chromaticity scan with 10 Hz steps;
- Return step of 40 Hz is too large, tracker locks at the wrong point;
- Open and close the loop to re-lock.




Phase Tracking and Chromaticity Measurement



- Close the loop at -45 s;
- Slow settling at low gain, faster as the gain is raised;
- Chromaticity scan with 10 Hz steps;
- Return step of 40 Hz is too large, tracker locks at the wrong point;
- Open and close the loop to re-lock.




Phase Tracking and Chromaticity Measurement



- Close the loop at -45 s;
- Slow settling at low gain, faster as the gain is raised;
- Chromaticity scan with 10 Hz steps;
- Return step of 40 Hz is too large, tracker locks at the wrong point;
- Open and close the loop to re-lock.




Phase Tracking and Chromaticity Measurement



- Close the loop at -45 s;
- Slow settling at low gain, faster as the gain is raised;
- Chromaticity scan with 10 Hz steps;
- Return step of 40 Hz is too large, tracker locks at the wrong point;
- Open and close the loop to re-lock.




Fast Phase Tracking



- Decimation factor in phase tracker controls tracking bandwidth;
- 200 turns decimation, 1.77 kHz measurement bandwidth;
- 180 Hz closed loop tracking bandwidth;
- Use time-domain downconversion to better resolve tune modulation;
- Spectrum shows lines at 10 and 50 hertz.




Fast Phase Tracking



- Decimation factor in phase tracker controls tracking bandwidth;
- 200 turns decimation, 1.77 kHz measurement bandwidth;
- 180 Hz closed loop tracking bandwidth;
- Use time-domain downconversion to better resolve tune modulation;
- Spectrum shows lines at 10 and 50 hertz.




Fast Phase Tracking



- Decimation factor in phase tracker controls tracking bandwidth;
- 200 turns decimation, 1.77 kHz measurement bandwidth;
- 180 Hz closed loop tracking bandwidth;
- Use time-domain downconversion to better resolve tune modulation;
- Spectrum shows lines at 10 and 50 hertz.




Fast Phase Tracking



- Decimation factor in phase tracker controls tracking bandwidth;
- 200 turns decimation, 1.77 kHz measurement bandwidth;
- 180 Hz closed loop tracking bandwidth;
- Use time-domain downconversion to better resolve tune modulation;
- Spectrum shows lines at 10 and 50 hertz.




Fast Phase Tracking



- Decimation factor in phase tracker controls tracking bandwidth;
- 200 turns decimation, 1.77 kHz measurement bandwidth;
- 180 Hz closed loop tracking bandwidth;
- Use time-domain downconversion to better resolve tune modulation;
- Spectrum shows lines at 10 and 50 hertz.





Tune Variation



- Tune moves around by 5×10^{-4} ;
- Fitting complex phase space trajectories fails due to tune modulation;
- Modal scan runs at 2 Hz and aliases the modulation;
- Grow/damp transient shows tune shifts around 100 Hz (2.8×10^{-4}) at 100 mA;
- At 15 mA expect only 4.2×10^{-5} , completely obscured by this baseline modulation.




Tune Variation



- Tune moves around by 5×10^{-4} ;
- Fitting complex phase space trajectories fails due to tune modulation;
- Modal scan runs at 2 Hz and aliases the modulation;
- Grow/damp transient shows tune shifts around 100 Hz (2.8×10^{-4}) at 100 mA;
- At 15 mA expect only 4.2×10^{-5} , completely obscured by this baseline modulation.



Tune Variation




- Tune moves around by 5×10^{-4} ;
- Fitting complex phase space trajectories fails due to tune modulation;
- Modal scan runs at 2 Hz and aliases the modulation;
- Grow/damp transient shows tune shifts around 100 Hz (2.8×10^{-4}) at 100 mA;
- At 15 mA expect only 4.2×10^{-5} , completely obscured by this baseline modulation.




Tune Variation


a) Osc. Envelopes in Time Domain




b) Evolution of Modes




c) Oscillation freqs (pre-brkpt)




d) Growth Rates (pre-brkpt)



e) Oscillation freqs (post-brkpt)



f) Growth Rates (post-brkpt)




ESRF: apr2517/123303; I₀=100.44mA, D_{samp}=1, ShifGain=6, Nbun=992,
At Fs: G1=137.054, G2=0, Ph1=83.6019, Ph2=0, Brkpt=2900, Calib=0.36.

- Tune moves around by 5×10^{-4} ;
- Fitting complex phase space trajectories fails due to tune modulation;
- Modal scan runs at 2 Hz and aliases the modulation;
- Grow/damp transient shows tune shifts around 100 Hz (2.8×10^{-4}) at 100 mA;
- At 15 mA expect only 4.2×10^{-5} , completely obscured by this baseline modulation.



Tune Variation




- Tune moves around by 5×10^{-4} ;
- Fitting complex phase space trajectories fails due to tune modulation;
- Modal scan runs at 2 Hz and aliases the modulation;
- Grow/damp transient shows tune shifts around 100 Hz (2.8×10^{-4}) at 100 mA;
- At 15 mA expect only 4.2×10^{-5} , completely obscured by this baseline modulation.



Injection Transient

First turn displacements during injection




- Captured beam transient due to the injection kickers firing;
- Automatic extraction of the difference orbit;
- Converted to physical units using bunch-by-bunch currents and measured calibration factor.



Injection Transient

First turn displacements during injection




- Captured beam transient due to the injection kickers firing;
- Automatic extraction of the difference orbit;
- Converted to physical units using bunch-by-bunch currents and measured calibration factor.



Injection Transient

First turn displacements during injection



- Captured beam transient due to the injection kickers firing;
- Automatic extraction of the difference orbit;
- Converted to physical units using bunch-by-bunch currents and measured calibration factor.



Summary

- **Successfully operated Dimtel bunch-by-bunch system in the ESRF;**
- Many diagnostic features have been demonstrated;
- In the demo setup feedback pushes vertical emittance from 7.7 to 8 pm.
- With some balancing and optimization much lower noise floor is easily achievable.
- I'd like to thank everyone who helped to make this a successful test!



Summary

- Successfully operated Dimtel bunch-by-bunch system in the ESRF;
- Many diagnostic features have been demonstrated;
- In the demo setup feedback pushes vertical emittance from 7.7 to 8 pm.
- With some balancing and optimization much lower noise floor is easily achievable.
- I'd like to thank everyone who helped to make this a successful test!



Summary

- Successfully operated Dimtel bunch-by-bunch system in the ESRF;
- Many diagnostic features have been demonstrated;
- In the demo setup feedback pushes vertical emittance from 7.7 to 8 pm.
- With some balancing and optimization much lower noise floor is easily achievable.
- I'd like to thank everyone who helped to make this a successful test!



Summary

- Successfully operated Dimtel bunch-by-bunch system in the ESRF;
- Many diagnostic features have been demonstrated;
- In the demo setup feedback pushes vertical emittance from 7.7 to 8 pm.
- With some balancing and optimization much lower noise floor is easily achievable.
- I'd like to thank everyone who helped to make this a successful test!



Summary

- Successfully operated Dimtel bunch-by-bunch system in the ESRF;
- Many diagnostic features have been demonstrated;
- In the demo setup feedback pushes vertical emittance from 7.7 to 8 pm.
- With some balancing and optimization much lower noise floor is easily achievable.
- I'd like to thank everyone who helped to make this a successful test!

