# iGp Commissioning at TLS

#### **Dmitry Teytelman**

Dimtel, Inc., San Jose, CA, USA

April 8, 2010



 Started on Tuesday (April 6) from longitudinal feedback work;

- Beam stabilized in 20 minutes;
- Later used low beam currents to time the system;
- Training session: longitudinal feedback setup;
- Continued after midnight (April 7) with transverse feedback;
- In the evening further transverse studies;
- On Thursday (April 8) added the second AR 250A250A amplifier;
- Demonstrated bunch cleaning (with an orbit bump);
- Cleaned the fill pattern to one bunch, used for timing optimization.



- Started on Tuesday (April 6) from longitudinal feedback work;
- Beam stabilized in 20 minutes;
- Later used low beam currents to time the system;
- Training session: longitudinal feedback setup;
- Continued after midnight (April 7) with transverse feedback;
- In the evening further transverse studies;
- On Thursday (April 8) added the second AR 250A250A amplifier;
- Demonstrated bunch cleaning (with an orbit bump);
- Cleaned the fill pattern to one bunch, used for timing optimization.



- Started on Tuesday (April 6) from longitudinal feedback work;
- Beam stabilized in 20 minutes;
- Later used low beam currents to time the system;
- Training session: longitudinal feedback setup;
- Continued after midnight (April 7) with transverse feedback;
- In the evening further transverse studies;
- On Thursday (April 8) added the second AR 250A250A amplifier;
- Demonstrated bunch cleaning (with an orbit bump);
- Cleaned the fill pattern to one bunch, used for timing optimization.




- Started on Tuesday (April 6) from longitudinal feedback work;
- Beam stabilized in 20 minutes;
- Later used low beam currents to time the system;
- Training session: longitudinal feedback setup;
- Continued after midnight (April 7) with transverse feedback;
- In the evening further transverse studies;
- On Thursday (April 8) added the second AR 250A250A amplifier;
- Demonstrated bunch cleaning (with an orbit bump);
- Cleaned the fill pattern to one bunch, used for timing optimization.



- Started on Tuesday (April 6) from longitudinal feedback work;
- Beam stabilized in 20 minutes;
- Later used low beam currents to time the system;
- Training session: longitudinal feedback setup;
- Continued after midnight (April 7) with transverse feedback;
- In the evening further transverse studies;
- On Thursday (April 8) added the second AR 250A250A amplifier;
- Demonstrated bunch cleaning (with an orbit bump);
- Cleaned the fill pattern to one bunch, used for timing optimization.



## Longitudinal Timing



- Longitudinal back-end timing sweep;
- Fine timing, 100 ps steps;
- Adjust DAC delay, record bunch RMS.




Transverse Feedback

Tune Monitoring Bunch Cleaning

g Summary

# Longitudinal Grow/Damp



# • Grow/damp transient at 200 mA;


- Low gain configuration;
- Damping rate is twice as fast as the growth rate;
- Roughly 30 Hz tune shift from the feedback.



Tune Monitoring Bunch Cleaning

g Summary

# Longitudinal Grow/Damp




- Grow/damp transient at 200 mA;
- Low gain configuration;
- Damping rate is twice as fast as the growth rate;
- Roughly 30 Hz tune shift from the feedback.



Tune Monitoring Bunch Cleaning

g Summary

# Longitudinal Grow/Damp




- Grow/damp transient at 200 mA;
- Low gain configuration;
- Damping rate is twice as fast as the growth rate;
- Roughly 30 Hz tune shift from the feedback.



Transverse Feedback

Tune Monitoring Bunch Cleaning

## Longitudinal Grow/Damp




- Grow/damp transient at 200 mA;
- Low gain configuration;
- Damping rate is twice as fast as the growth rate;
- Roughly 30 Hz tune shift from the feedback.

ヘロト ヘ戸ト ヘヨト ヘ



## Longitudinal Damping Versus Gain




- Plot feedback damping (difference between growth and damping rates) vs. feedback gain;
- Linear increase up to the gain of 3;
- Very high gains lead to reduced damping:

• • • • • • • •

• Saturation, dynamic limits.



#### Transverse Setup




- iGp ADC input connected directly to the BPM hybrid output;
- Only possible due to wide (1.3 GHz) bandwidth of the iGp;
- Front-end timing sweep with a single bunch;
- Two peaks around 900 and 1350 ps correspond to positive and negative pulses of the differentiated bunch signal;

ヘロト ヘ戸ト ヘヨト ヘヨ

• Set timing at 1370 ps.



## Transverse Filter Design




- 16-tap FIR filter;
- Matlab filter generator allows independent control of gain and phase for X and Y;
- Lower X gain is intentional
   to balance the two loops.

ヘロト ヘ戸ト ヘヨト ヘ



## Transverse Filter Design




- 16-tap FIR filter;
- Matlab filter generator allows independent control of gain and phase for X and Y;
- Lower X gain is intentional

A B > A B >

- to balance the two loops.



#### Transverse Grow/Damps



TLS:apr0710:060545: Io=200mA, Dsamp= 1, ShitGain= 5, Nbun= 200, At Fs: G1= 155.7929, G2= 0, Ph1= 67.1869, Ph2= 0, Brkpt= 3969, Calib= 1.


# • Grow/damp transient at 200 mA;

- Filter bunch signals around the vertical tune;
- Extract growth and damping rates, modes -4 to -1 active;
- Filter bunch signals around the horizontal tune;
- Slower growth rates, similar modal spectrum.

ヘロト ヘ戸ト ヘヨト ヘヨ




#### Transverse Grow/Damps



- Grow/damp transient at 200 mA;
- Filter bunch signals around the vertical tune;
- Extract growth and damping rates, modes -4 to -1 active;
- Filter bunch signals around the horizontal tune;
- Slower growth rates, similar modal spectrum.



#### Transverse Grow/Damps




At Fs: G1= 117.6043, G2= 0, Ph1= -43.1349, Ph2= 0, Brkpt= 3969, Calib= 1.

- Grow/damp transient at 200 mA;
- Filter bunch signals around the vertical tune;
- Extract growth and damping rates, modes -4 to -1 active;
- Filter bunch signals around the horizontal tune;
- Slower growth rates, similar modal spectrum.

A B > A B >




## Vertical Growth and Damping Rates Vs. Beam Current



- No change in growth rate vs. beam current;
- Typical for beam-ion instabilities;
- Damping rates are much faster than the growth rates.




## Vertical Growth and Damping Rates Vs. Beam Current



- No change in growth rate vs. beam current;
- Typical for beam-ion instabilities;
- Damping rates are much faster than the growth rates.

A B > A B >






- When feedback loop is closed, bunch spectra exhibit notches in the noise floor;
- These notches are located at the peaks of the beam transfer function, i.e. betatron tunes;
- Depth of the notch is related to the feedback loop gain;
- Search marker automatically reads out the tune at 1 Hz;

イロト イ理ト イヨト イヨト






- When feedback loop is closed, bunch spectra exhibit notches in the noise floor;
- These notches are located at the peaks of the beam transfer function, i.e. betatron tunes;
- Depth of the notch is related to the feedback loop gain;
- Search marker automatically reads out the tune at 1 Hz;


イロト イ理ト イヨト イヨト





- When feedback loop is closed, bunch spectra exhibit notches in the noise floor;
- These notches are located at the peaks of the beam transfer function, i.e. betatron tunes;
- Depth of the notch is related to the feedback loop gain;
- Search marker automatically reads out the tune at 1 Hz;


イロト イ理ト イヨト イヨト



- When feedback loop is closed, bunch spectra exhibit notches in the noise floor;
- These notches are located at the peaks of the beam transfer function, i.e. betatron tunes;
- Depth of the notch is related to the feedback loop gain;
- Search marker automatically reads out the tune at 1 Hz;


イロト イ理ト イヨト イヨト






- When feedback loop is closed, bunch spectra exhibit notches in the noise floor;
- These notches are located at the peaks of the beam transfer function, i.e. betatron tunes;
- Depth of the notch is related to the feedback loop gain;
- Search marker automatically reads out the tune at 1 Hz;


(日)




- iGp has integrated functionality for bunch cleaning;
- We turn off the feedback for bunches to be cleaned and apply excitation at the betatron (vertical) tune;
- Cleaned out bunches 65–67, 100, 110;
- Additionally cleaned in the pattern 10:10:200;
- Cleaned out everything, left one bunch.




- iGp has integrated functionality for bunch cleaning;
- We turn off the feedback for bunches to be cleaned and apply excitation at the betatron (vertical) tune;
- Cleaned out bunches 65–67, 100, 110;
- Additionally cleaned in the pattern 10:10:200;
- Cleaned out everything, left one bunch.



- iGp has integrated functionality for bunch cleaning;
- We turn off the feedback for bunches to be cleaned and apply excitation at the betatron (vertical) tune;
- Cleaned out bunches 65–67, 100, 110;
- Additionally cleaned in the pattern 10:10:200;
- Cleaned out everything, left one bunch.



- iGp has integrated functionality for bunch cleaning;
- We turn off the feedback for bunches to be cleaned and apply excitation at the betatron (vertical) tune;
- Cleaned out bunches 65–67, 100, 110;
- Additionally cleaned in the pattern 10:10:200;
- Cleaned out everything, left one bunch.



- iGp has integrated functionality for bunch cleaning;
- We turn off the feedback for bunches to be cleaned and apply excitation at the betatron (vertical) tune;
- Cleaned out bunches 65–67, 100, 110;
- Additionally cleaned in the pattern 10:10:200;
- Cleaned out everything, left one bunch.

• • • • • • • • • • • •

- Successfully demonstrated bunch-by-bunch control in all three planes;
- iGp feedback is commissioned, needs permanent installation cleanup.
- Longitudinal SSB modulator needs some attention (large carrier feedthrough).
- I would like to thank everyone for this very productive period!!!



- Successfully demonstrated bunch-by-bunch control in all three planes;
- iGp feedback is commissioned, needs permanent installation cleanup.
- Longitudinal SSB modulator needs some attention (large carrier feedthrough).
- I would like to thank everyone for this very productive period!!!



- Successfully demonstrated bunch-by-bunch control in all three planes;
- iGp feedback is commissioned, needs permanent installation cleanup.
- Longitudinal SSB modulator needs some attention (large carrier feedthrough).
- I would like to thank everyone for this very productive period!!!



- Successfully demonstrated bunch-by-bunch control in all three planes;
- iGp feedback is commissioned, needs permanent installation cleanup.
- Longitudinal SSB modulator needs some attention (large carrier feedthrough).
- I would like to thank everyone for this very productive period!!!

